

**E.L. HEIMAN**

**LIST OF LIVING COWRY SPECIES Version 1 2007**

1. This is a preliminary list of living cowry taxa--species and subspecies, which are recognized as valid according to the definitions and criteria accepted in the project "Intraspecific variation in living cowries" initiated in 1997, the results of which are partly published in Report 1, 2005; Report 2, 2006, and Report 3, 2007. Only conchological characters are used in the project, which is, in fact, a conchological statistical study in which about 18.000 shells are studied until now. 176 taxa, which did not stand the test, are treated as synonyms and not listed below.

2. The majority of taxa listed below are checked according to the following criteria and definitions accepted in the project and published in the reports and other works by the author:

Species- a cowry population the shells of which can be separated from all other populations by at least one well-recognizable diagnostic character showing no intermediates even in extreme specimens.

Subspecies-geographically separated population or a group of populations the majority of shells of which differs by at least one characteristic from other groups of populations of the same species.

3. This is a preliminary list, the final lists of taxa are hardly practical in zoological nomenclature because different approaches and criteria can be used by different authors, new information may be available with time etc. Besides, this is a work in progress; a conchological material regarding several recently described cowry taxa is not available for study and a conclusion regarding their taxonomic identity cannot yet be drawn; these taxa are not included in the list.

4. This list is available in three versions:

In Version 1 all taxa are listed in a traditional way: first goes a name of the genus, after that a name of a species, then a name of a subspecies, and finally authors/date.

Genera are listed according to an order used in a well known work

Schilder & Schilder, 1971

"A catalogue of living and fossil cowries," subgenera are ignored.

In Version 2 first all names of species are listed in an alphabetical order and all the complementary information accompanies the specific name.

In Version 3 all taxa are listed as in version 1 and additionally an approximate shell length range and area of distribution are added to each taxon.

GENUS	SPECIES	SUBSPECIES	AUTHORS/DATE
<i>Barycypraea</i>	<i>fultoni</i>		(Sowerby, 1903)
<i>Bernaya</i>	<i>teulèrei</i>		(Cazenavette, 1846)
<i>Zoila</i>	<i>decipiens</i>		(Smith, 1880)
<i>Zoila</i>	<i>friendii</i>	<i>friendii</i>	(Gray, 1831)
<i>Zoila</i>	<i>friendii</i>	<i>vercoi</i>	Schilder, 1930
<i>Zoila</i>	<i>jeaniana</i>		(Cate, 1968)
<i>Zoila</i>	<i>marginata</i>	<i>marginata</i>	(Gaskoin, 1849)
<i>Zoila</i>	<i>marginata</i>	<i>ketyana</i>	(Raybaudi, 1978)
<i>Zoila</i>	<i>marginata</i>	<i>orientalis</i>	Raybaudi, 1985
<i>Zoila</i>	<i>mariellae</i>		Raybaudi, 1983
<i>Zoila</i>	<i>perlae</i>	<i>perlae</i>	Lopez & Chiang, 1975
<i>Zoila</i>	<i>perlae</i>	<i>eludens</i>	(Raybaudi, 1991)
<i>Zoila</i>	<i>rosselli</i>		Cotton, 1948
<i>Zoila</i>	<i>thersites</i>		(Gaskoin, 1849)
<i>Zoila</i>	<i>venusta</i>		(Sowerby, 1846)
<i>Siphocypraea</i>	<i>mus</i>		(Linnaeus, 1758)
<i>Trona</i>	<i>stercoraria</i>		(Linnaeus, 1758)
<i>Macrocypraea</i>	<i>cervinetta</i>		(Kiener, 1843)
<i>Macrocypraea</i>	<i>cervus</i>		(Linnaeus, 1771)
<i>Macrocypraea</i>	<i>zebra</i>		(Linnaeus, 1758)
<i>Mauritia</i>	<i>arabica</i>	<i>arabica</i>	(Linnaeus, 1758)
<i>Mauritia</i>	<i>arabica</i>	<i>grayana</i>	Schilder, 1930
<i>Mauritia</i>	<i>arabica</i>	<i>immanis</i>	Schilder & Schilder, 1938
<i>Mauritia</i>	<i>depressa</i>		(Gray, 1824)
<i>Mauritia</i>	<i>eglantina</i>	<i>eglantina</i>	(Duclos, 1833)
<i>Mauritia</i>	<i>eglantina</i>	<i>couturieri</i>	(Vayssiere, 1905)
<i>Mauritia</i>	<i>histrion</i>		(Gmelin, 1791)
<i>Mauritia</i>	<i>maculifera</i>	<i>maculifera</i>	Schilder, 1932
<i>Mauritia</i>	<i>maculifera</i>	<i>hawaiiensis</i>	Heiman, 2005
<i>Mauritia</i>	<i>mappa</i>		(Linnaeus, 1758)
<i>Mauritia</i>	<i>mauritiana</i>		(Linnaeus, 1758)
<i>Mauritia</i>	<i>scurra</i>	<i>scurra</i>	(Gmelin, 1791)
<i>Mauritia</i>	<i>scurra</i>	<i>indica</i>	(Gmelin, 1791)
<i>Mauritia</i>	<i>scurra</i>	<i>retifera</i>	(Menke, 1829)
<i>Mauritia</i>	<i>valentia</i>		(Perry, 1811)
<i>Talparia</i>	<i>exusta</i>		(Sowerby, 1832)
<i>Talparia</i>	<i>talpa</i>		(Linnaeus, 1758)
<i>Cypraea</i>	<i>pantherina</i>	<i>pantherina</i>	Lightfoot, 1786
<i>Cypraea</i>	<i>pantherina</i>	<i>rasnasraniensis</i>	Heiman & Mienis, 2001
<i>Cypraea</i>	<i>tigris</i>	<i>tigris</i>	Linnaeus, 1758
<i>Cypraea</i>	<i>tigris</i>	<i>schilderiana</i>	Cate, 1961
<i>Lyncina</i>	<i>argus</i>	<i>argus</i>	(Linnaeus, 1758)
<i>Lyncina</i>	<i>argus</i>	<i>contrastriata</i>	(Perry, 1811)
<i>Lyncina</i>	<i>aurantium</i>		(Gmelin, 1791)
<i>Lyncina</i>	<i>broderipii</i>		(Sowerby, 1832)
<i>Lyncina</i>	<i>camelopardalis</i>	<i>camelopardalis</i>	(Perry, 1811)
<i>Lyncina</i>	<i>camelopardalis</i>	<i>sharmiensis</i>	Heiman & Mienis, 1999
<i>Lyncina</i>	<i>carneola</i>	<i>carneola</i>	(Linnaeus, 1758)
<i>Lyncina</i>	<i>carneola</i>	<i>crassa</i>	(Gmelin, 1791)
<i>Lyncina</i>	<i>carneola</i>	<i>sowerbyi</i>	(Anton, 1839)
<i>Lyncina</i>	<i>carneola</i>	<i>propinqua</i>	Garrett, 1879
<i>Lyncina</i>	<i>kuroharai</i>		Kuroda & Habe, 1961
<i>Lyncina</i>	<i>leucodon</i>		(Broderip, 1828)
<i>Lyncina</i>	<i>lynx</i>		(Linnaeus, 1758)
<i>Lyncina</i>	<i>nivosa</i>		(Broderip, 1827)
<i>Lyncina</i>	<i>porteri</i>		(Cate, 1969)
<i>Lyncina</i>	<i>reevei</i>		(Sowerby, 1832)
<i>Lyncina</i>	<i>schilderorum</i>		Iredale, 1939

<i>Lyncina</i>	<i>sulcidentata</i>		(Gray, 1824)
<i>Lyncina</i>	<i>ventriculus</i>		(Lamarck, 1810)
<i>Lyncina</i>	<i>vitellus</i>		(Linnaeus, 1758)
<i>Chelycypraea</i>	<i>testudinaria</i>		(Linnaeus, 1758)
<i>Luria</i>	<i>cinerea</i>		(Gmelin, 1791)
<i>Luria</i>	<i>isabella</i>	<i>isabella</i>	(Linnaeus, 1758)
<i>Luria</i>	<i>isabella</i>	<i>controversa</i>	(Gray, 1824)
<i>Luria</i>	<i>isabellamexicana</i>		(Shasky, 1961)
<i>Luria</i>	<i>lurida</i>	<i>lurida</i>	(Linnaeus, 1758)
<i>Luria</i>	<i>lurida</i>	<i>minima</i>	(Dunker, 1853)
<i>Luria</i>	<i>lurida</i>	<i>oceanica</i>	Schilder, 1930
<i>Luria</i>	<i>pulchra</i>	<i>pulchra</i>	(Gray, 1824)
<i>Luria</i>	<i>pulchra</i>	<i>sinaiensis</i>	Heiman & Mienis, 2000
<i>Tesselata</i>	<i>tesselata</i>		(Swainson, 1822)
<i>Schilderia</i>	<i>achatidea</i>	<i>achatidea</i>	(Sowerby, 1837)
<i>Schilderia</i>	<i>achatidea</i>	<i>inopinata</i>	Schilder, 1930
<i>Nesiocypraea</i>	<i>hirasei</i>		(Roberts, 1913)
<i>Nesiocypraea</i>	<i>langfordi</i>		(Kuroda, 1938)
<i>Nesiocypraea</i>	<i>lissetae</i>		Kilburn, 1975
<i>Nesiocypraea</i>	<i>midwayensis</i>		Azuma & Kurohara, 1967
<i>Nesiocypraea</i>	<i>sakurai</i>		(Habe, 1970)
<i>Nesiocypraea</i>	<i>teramachii</i>		(Kuroda, 1938)
<i>Zonaria</i>	<i>annettae</i>	<i>annettae</i>	(Dall, 1909)
<i>Zonaria</i>	<i>annettae</i>	<i>aequinoctialis</i>	Schilder, 1933
<i>Zonaria</i>	<i>arabacula</i>		(Lamarck, 1810)
<i>Zonaria</i>	<i>nigropunctata</i>		(Gray, 1828)
<i>Zonaria</i>	<i>picta</i>		(Gray, 1824)
<i>Zonaria</i>	<i>pyrum</i>	<i>pyrum</i>	(Gmelin, 1791)
<i>Zonaria</i>	<i>pyrum</i>	<i>petitiana</i>	(Crosse, 1872)
<i>Zonaria</i>	<i>pyrum</i>	<i>angolensis</i>	(Odhner, 1923)
<i>Zonaria</i>	<i>robertsi</i>		(Hidalgo, 1906)
<i>Zonaria</i>	<i>sanguinolenta</i>		(Gmelin, 1791)
<i>Zonaria</i>	<i>spadicea</i>		(Swainson, 1823)
<i>Zonaria</i>	<i>zonaria</i>		(Gmelin, 1791)
<i>Cypraeovula</i>	<i>algoensis</i>		(Gray, 1825)
<i>Cypraeovula</i>	<i>capensis</i>		(Gray, 1828)
<i>Cypraeovula</i>	<i>castanea</i>		(Higgins, 1868)
<i>Cypraeovula</i>	<i>cohenae</i>		(Burgess, 1965)
<i>Cypraeovula</i>	<i>connelli</i>		(Liltved, 1983)
<i>Cypraeovula</i>	<i>coronata</i>		(Schilder, 1930)
<i>Cypraeovula</i>	<i>cruickshanki</i>		Kilburn, 1972
<i>Cypraeovula</i>	<i>edentula</i>		(Gray, 1825)
<i>Cypraeovula</i>	<i>fuscodentata</i>		(Gray, 1825)
<i>Cypraeovula</i>	<i>fuscorubra</i>		Shaw, 1909
<i>Cypraeovula</i>	<i>immelmani</i>		Liltved, 2001
<i>Cypraeovula</i>	<i>iutsui</i>		Shikama, 1974
<i>Notocypraea</i>	<i>angustata</i>		(Gmelin, 1791)
<i>Notocypraea</i>	<i>declivis</i>		(Sowerby, 1870)
<i>Notocypraea</i>	<i>piperita</i>		(Gray, 1825)
<i>Notocypraea</i>	<i>pulicaria</i>		(Reeve, 1846)
<i>Umbilia</i>	<i>armeniaca</i>		(Verco, 1912)
<i>Umbilia</i>	<i>capricornica</i>		Lorenz, 1989
<i>Umbilia</i>	<i>hesitata</i>	<i>hesitata</i>	(Iredale, 1916)
<i>Umbilia</i>	<i>hesitata</i>	<i>beddomei</i>	Schilder, 1930
<i>Umbilia</i>	<i>petilirostris</i>		Darragh, 2002
<i>Erronea</i>	<i>angioyorum</i>		Biraghi, 1978
<i>Erronea</i>	<i>barclayi</i>		(Reeve, 1857)
<i>Erronea</i>	<i>bregeriana</i>		(Crosse, 1868)
<i>Erronea</i>	<i>caurica</i>	<i>caurica</i>	(Linnaeus, 1758)

<i>Erronea</i>	<i>caurica</i>	<i>blaesa</i>	(Iredale, 1939)
<i>Erronea</i>	<i>caurica</i>	<i>elongata</i>	(Perry, 1811)
<i>Erronea</i>	<i>caurica</i>	<i>longior</i>	(Iredale, 1935)
<i>Erronea</i>	<i>caurica</i>	<i>nabeqensis</i>	Heiman & Mienis, 2000
<i>Erronea</i>	<i>caurica</i>	<i>quinquefasciata</i>	Röding, 1798
<i>Erronea</i>	<i>cylindrica</i>		(Born, 1778)
<i>Erronea</i>	<i>errones</i>		(Linnaeus, 1758)
<i>Erronea</i>	<i>felina</i>		(Gmelin, 1791)
<i>Erronea</i>	<i>fernandoi</i>		Cate, 1969
<i>Erronea</i>	<i>hungerfordi</i>		(Sowerby, 1888)
<i>Erronea</i>	<i>listeri</i>		(Gray, 1824)
<i>Erronea</i>	<i>onyx</i>	<i>onyx</i>	(Linnaeus, 1758)
<i>Erronea</i>	<i>onyx</i>	<i>adusta</i>	(Lamarck, 1810)
<i>Erronea</i>	<i>onyx</i>	<i>melanesiae</i>	Schilder & Schilder, 1937
<i>Erronea</i>	<i>ovum</i>	<i>ovum</i>	(Gmelin, 1791)
<i>Erronea</i>	<i>ovum</i>	<i>chrysostoma</i>	Schilder & Schilder, 1938
<i>Erronea</i>	<i>pallida</i>		(Gray, 1824)
<i>Erronea</i>	<i>pulchella</i>		(Swainson, 1823)
<i>Erronea</i>	<i>pyriformis</i>		(Gray, 1824)
<i>Erronea</i>	<i>subviridis</i>		(Reeve, 1835)
<i>Erronea</i>	<i>vredenburgi</i>		Schilder, 1927
<i>Erronea</i>	<i>walkeri</i>		(Sowerby, 1832)
<i>Erronea</i>	<i>xanthodon</i>		(Sowerby, 1832)
<i>Notadusta</i>	<i>katsuae</i>	<i>katsuae</i>	(Kuroda, 1960)
<i>Notadusta</i>	<i>katsuae</i>	<i>rabaulensis</i>	Schilder, 1964
<i>Notadusta</i>	<i>martini</i>	<i>martini</i>	(Schepman, 1907)
<i>Notadusta</i>	<i>martini</i>	<i>supersters</i>	Schilder, 1930
<i>Notadusta</i>	<i>musumea</i>		Kuroda & Habe, 1961
<i>Notadusta</i>	<i>omii</i>		Ikeda, 1998
<i>Notadusta</i>	<i>punctata</i>	<i>punctata</i>	(Linnaeus, 1771)
<i>Notadusta</i>	<i>punctata</i>	<i>trizonata</i>	(Sowerby, 1870)
<i>Palmadusta</i>	<i>androyensis</i>		Blöcher & Lorenz, 1999
<i>Palmadusta</i>	<i>artuffeli</i>		(Jousseau, 1876)
<i>Palmadusta</i>	<i>asellus</i>		(Linnaeus, 1758)
<i>Palmadusta</i>	<i>barbieri</i>		(Raybaudi, 1986)
<i>Palmadusta</i>	<i>clandestina</i>	<i>clandestina</i>	(Linnaeus, 1767)
<i>Palmadusta</i>	<i>clandestina</i>	<i>candida</i>	(Pease, 1865)
<i>Palmadusta</i>	<i>contaminata</i>		(Sowerby, 1832)
<i>Palmadusta</i>	<i>diluculum</i>		(Reeve, 1845)
<i>Palmadusta</i>	<i>fimbriata</i>	<i>fimbriata</i>	(Gmelin, 1791)
<i>Palmadusta</i>	<i>fimbriata</i>	<i>durbanensis</i>	Schilder & Schilder, 1938
<i>Palmadusta</i>	<i>fimbriata</i>	<i>unifasciata</i>	(Mighels, 1845)
<i>Palmadusta</i>	<i>gracilis</i>	<i>gracilis</i>	(Gaskoin, 1849)
<i>Palmadusta</i>	<i>gracilis</i>	<i>japonica</i>	Schilder, 1931
<i>Palmadusta</i>	<i>gracilis</i>	<i>macula</i>	(Angas, 1867)
<i>Palmadusta</i>	<i>gracilis</i>	<i>notata</i>	(Gill, 1858)
<i>Palmadusta</i>	<i>hammondae</i>		(Iredale, 1939)
<i>Palmadusta</i>	<i>lentiginosa</i>		(Gray, 1825)
<i>Palmadusta</i>	<i>lutea</i>	<i>lutea</i>	(Gmelin, 1791)
<i>Palmadusta</i>	<i>lutea</i>	<i>humphreysii</i>	(Gray, 1825)
<i>Palmadusta</i>	<i>lutea</i>	<i>yaloka</i>	Steadman & Cotton, 1943
<i>Palmadusta</i>	<i>microdon</i>	<i>microdon</i>	(Gray, 1828)
<i>Palmadusta</i>	<i>microdon</i>	<i>chrysalis</i>	(Kiener, 1843)
<i>Palmadusta</i>	<i>minoridens</i>		(Melvill, 1901)
<i>Palmadusta</i>	<i>saulae</i>		(Gaskoin, 1843)
<i>Palmadusta</i>	<i>serrulifera</i>		Schilder & Schilder, 1938
<i>Palmadusta</i>	<i>ziczac</i>		(Linnaeus, 1758)
<i>Blasicrura</i>	<i>coxeni</i>	<i>coxeni</i>	(Cox, 1873)
<i>Blasicrura</i>	<i>coxeni</i>	<i>hesperina</i>	Schilder & Summers, 1963

<i>Blasicrura</i>	<i>dayritiana</i>		(Cate, 1963)
<i>Blasicrura</i>	<i>goodallii</i>		(Sowerby, 1832)
<i>Blasicrura</i>	<i>interrupta</i>		(Gray, 1824)
<i>Blasicrura</i>	<i>luchuana</i>		(Kuroda, 1960)
<i>Blasicrura</i>	<i>pallidula</i>		(Gaskoin, 1849)
<i>Blasicrura</i>	<i>quadrimaculata</i>		(Gray, 1824)
<i>Blasicrura</i>	<i>summersi</i>		(Schilder, 1958)
<i>Blasicrura</i>	<i>teres</i>	<i>teres</i>	(Gmelin, 1791)
<i>Blasicrura</i>	<i>teres</i>	<i>elatensis</i>	Heiman & Mienis, 2002
<i>Blasicrura</i>	<i>teres</i>	<i>janae</i>	Lorenz, 2002
<i>Blasicrura</i>	<i>teres</i>	<i>natalensis</i>	Heiman & Mienis, 2002
<i>Blasicrura</i>	<i>teres</i>	<i>subteres</i>	(Weinkauff, 1881)
<i>Bistolida</i>	<i>brevidentata</i>		(Sowerby, 1870)
<i>Bistolida</i>	<i>erythraeensis</i>		(Sowerby, 1837)
<i>Bistolida</i>	<i>hirundo</i>	<i>hirundo</i>	(Linnaeus, 1758)
<i>Bistolida</i>	<i>hirundo</i>	<i>kieneri</i>	(Hidalgo, 1906)
<i>Bistolida</i>	<i>owenii</i>		(Sowerby, 1837)
<i>Bistolida</i>	<i>stolida</i>	<i>stolida</i>	(Linnaeus, 1758)
<i>Bistolida</i>	<i>stolida</i>	<i>diauges</i>	(Melvill, 1888)
<i>Bistolida</i>	<i>ursellus</i>		(Gmelin, 1791)
<i>Ovatipsa</i>	<i>chinensis</i>		(Gmelin, 1791)
<i>Ovatipsa</i>	<i>coloba</i>		(Melvill, 1888)
<i>Cribrarula</i>	<i>astaryi</i>		Schilder, 1971
<i>Cribrarula</i>	<i>catholicorum</i>		Schilder & Schilder, 1938
<i>Cribrarula</i>	<i>cribraria</i>	<i>cribraria</i>	(Linnaeus, 1758)
<i>Cribrarula</i>	<i>cribraria</i>	<i>comma</i>	(Perry, 1811)
<i>Cribrarula</i>	<i>cribraria</i>	<i>esontropia</i>	(Ducloss, 1833)
<i>Cribrarula</i>	<i>cribraria</i>	<i>orientalis</i>	Schilder & Schilder, 1940
<i>Cribrarula</i>	<i>cumingii</i>		(Sowerby, 1832)
<i>Cribrarula</i>	<i>gaskoini</i>		(Reeve, 1846)
<i>Cribrarula</i>	<i>pellisserpentis</i>		Lorenz, 1999
<i>Cribrarula</i>	<i>taitae</i>		(Burgess, 1993)
<i>Pustularia</i>	<i>bistrinotata</i>		Schilder & Schilder, 1937
<i>Pustularia</i>	<i>childreni</i>		(Gray, 1825)
<i>Pustularia</i>	<i>cicercula</i>	<i>cicercula</i>	(Linnaeus, 1758)
<i>Pustularia</i>	<i>cicercula</i>	<i>takahashii</i>	Moretzsohn, 2007
<i>Pustularia</i>	<i>globulus</i>	<i>globulus</i>	(Linnaeus, 1758)
<i>Pustularia</i>	<i>globulus</i>	<i>brevirostris</i>	Schilder & Schilder, 1937
<i>Pustularia</i>	<i>margarita</i>	<i>margarita</i>	(Dillwyn, 1817)
<i>Pustularia</i>	<i>margarita</i>	<i>tricornis</i>	(Jousseau, 1874)
<i>Pustularia</i>	<i>mariae</i>		Schilder, 1927
<i>Pustularia</i>	<i>mauiensis</i>		(Burgess, 1967)
<i>Propustularia</i>	<i>surinamensis</i>		(Perry, 1811)
<i>Monetaria</i>	<i>annulus</i>		(Linnaeus, 1758)
<i>Monetaria</i>	<i>moneta</i>	<i>moneta</i>	(Linnaeus, 1758)
<i>Monetaria</i>	<i>moneta</i>	<i>barthelémyi</i>	(Bernardi, 1861)
<i>Monetaria</i>	<i>moneta</i>	<i>rhomboides</i>	Schilder & Schilder, 1933
<i>Monetaria</i>	<i>obvelata</i>		(Lamarck, 1810)
<i>Naria</i>	<i>irrorata</i>		(Gray, 1828)
<i>Erosaria</i>	<i>acicularis</i>	<i>acicularis</i>	(Gmelin, 1791)
<i>Erosaria</i>	<i>acicularis</i>	<i>sanctae-helenae</i>	Schilder, 1930
<i>Erosaria</i>	<i>albuginosa</i>		(Gray, 1825)
<i>Erosaria</i>	<i>beckii</i>		(Gaskoin, 1836)
<i>Erosaria</i>	<i>bernardi</i>		(Richard, 1974)
<i>Erosaria</i>	<i>boivinii</i>		(Kiener, 1843)
<i>Erosaria</i>	<i>caputdraconis</i>		(Melvill, 1888)
<i>Erosaria</i>	<i>caputserpentis</i>	<i>caputserpentis</i>	(Linnaeus, 1758)
<i>Erosaria</i>	<i>caputserpentis</i>	<i>caputophidii</i>	Schilder, 1927
<i>Erosaria</i>	<i>cernica</i>		(Sowerby, 1870)

<i>Erosaria</i>	<i>citrina</i>		(Gray, 1825)
<i>Erosaria</i>	<i>dillwyni</i>		(Schilder, 1922)
<i>Erosaria</i>	<i>eburnea</i>		(Barnes, 1824)
<i>Erosaria</i>	<i>englerti</i>		(Summers & Burgess, 1965)
<i>Erosaria</i>	<i>erosa</i>	<i>erosa</i>	(Linnaeus, 1758)
<i>Erosaria</i>	<i>erosa</i>	<i>lactescens</i>	(Dautzenberg-Bouge, 1933)
<i>Erosaria</i>	<i>erosa</i>	<i>phagedaina</i>	(Melvill, 1888)
<i>Erosaria</i>	<i>erosa</i>	<i>pulchella</i>	(Coen, 1949)
<i>Erosaria</i>	<i>gangranosa</i>		(Dillwyn, 1814)
<i>Erosaria</i>	<i>guttata</i>		(Gmelin, 1791)
<i>Erosaria</i>	<i>helvola</i>	<i>helvola</i>	(Linnaeus, 1758)
<i>Erosaria</i>	<i>helvola</i>	<i>argella</i>	(Melvill, 1888)
<i>Erosaria</i>	<i>labrolineata</i>		(Gaskoin, 1849)
<i>Erosaria</i>	<i>lamarckii</i>	<i>lamarckii</i>	(Gray, 1825)
<i>Erosaria</i>	<i>lamarckii</i>	<i>redimita</i>	(Melvill, 1888)
<i>Erosaria</i>	<i>macandrewi</i>		(Sowerby, 1870)
<i>Erosaria</i>	<i>marginalis</i>		(Dillwyn, 1827)
<i>Erosaria</i>	<i>miliaris</i>		(Gmelin, 1791)
<i>Erosaria</i>	<i>nebrites</i>		(Melvill, 1888)
<i>Erosaria</i>	<i>ocellata</i>		(Linnaeus, 1758)
<i>Erosaria</i>	<i>ostergaardi</i>		(Dall, 1921)
<i>Erosaria</i>	<i>poraria</i>		(Linnaeus, 1758)
<i>Erosaria</i>	<i>spurca</i>		(Linnaeus, 1758)
<i>Erosaria</i>	<i>thomasi</i>		(Crosse, 1865)
<i>Erosaria</i>	<i>turdus</i>	<i>turdus</i>	(Lamarck, 1810)
<i>Erosaria</i>	<i>turdus</i>	<i>pardalina</i>	(Dunker, 1852)
<i>Staphylaea</i>	<i>limacina</i>		(Lamarck, 1810)
<i>Staphylaea</i>	<i>semiplota</i>		Mighels, 1845)
<i>Staphylaea</i>	<i>staphylaea</i>	<i>staphylaea</i>	(Linnaeus, 1758)
<i>Staphylaea</i>	<i>staphylaea</i>	<i>laevigata</i>	Dautzenberg, 1932)
<i>Nucleolaria</i>	<i>granulata</i>	<i>granulata</i>	(Pease, 1862)
<i>Nucleolaria</i>	<i>granulata</i>	<i>cassiaui</i>	(Burgess, 1965)
<i>Nucleolaria</i>	<i>nucleus</i>		(Linnaeus, 1758)