

CONCHOLOGICAL INFORMATION PUBLISHED IN TRITON 1-19
(2000 THROUGH 2009)

1. TAXA INDEX

Notes

All mollusc taxa are listed in the alphabetical order.
Only those taxa are mentioned in this list, which are the direct subject of the relevant articles, represent interesting forms, or may be connected in a way with our geographical area.

The taxa first described in TRITON are written in the bold letters.

The taxa relevant to marine molluscs are given in the shaded blocks.

Prepared by E.L. Heiman

TAXA INDEX

| Taxa | | | TRITON | | | |
|-------------------------|---------------------------------|----------------------------------|----------------------------------|-------|-------|-------|
| Family/Genus | Species name | Authors & date | Year | Issue | Pages | |
| <i>Acanthocardia</i> | <i>aculeata</i> | (Linnaeus, 1758) | 2008 | 18 | 42 | |
| <i>Achatina</i> | <i>albopicta</i> | (E.A. Smith, 1878) | 2005 | 11 | 25 | |
| <i>Acrosterigma</i> | <i>biradiatum</i> | (Bruguere, 1789) | 2009 | 19 | 8 | |
| | <i>maculosum</i> | (W. Wood, 1815) | 2009 | 19 | 8 | |
| <i>Aeolidiella</i> | <i>alderi</i> | (Cocks, 1852) | 2007 | 15 | 11-13 | |
| <i>Afrocardium</i> | <i>richardi</i> | (Audoin, 1826) | 2009 | 19 | 8 | |
| <i>Albinaria</i> | Around Kuşadasi Bay, Turkey | | 2001 | 4 | 42-44 | |
| | <i>cretensis</i> | (Rossmässler, 1836) | 2002 | 5 | 25-28 | |
| <i>Alectryonella</i> | <i>crenulifera</i> | (Sowerby, 1871) | 2005 | 12 | 5-6 | |
| <i>Alvania</i> | <i>dalmatica</i> | Buzurro & Prkić, 2007 | 2007 | 15 | 5-9 | |
| <i>Amatina</i> | <i>tricarinata</i> | | 2006 | 14 | 3 | |
| <i>Amygdalum</i> | <i>peasei</i> | (Newcomb, 1870) | 2001 | 3 | 15-16 | |
| <i>Anguispira</i> | <i>fergusoni</i> | (Bland) | 2008 | 18 | 37 | |
| <i>Arca</i> | <i>noae</i> | Linnaeus, 1758 | 2001 | 3 | 11 | |
| Arcoidea | Shells of Eat Sinai | | 2007 | 15 | 24-29 | |
| <i>Arcopsis</i> | <i>ornata</i> | (Viader, 1951) | 2003 | 7 | 3-4 | |
| <i>Argonauta</i> | <i>argo</i> | Linnaeus, 1758 | 2009 | 19 | 42 | |
| <i>Bankia</i> | <i>carinata</i> | (Gray, 1827) | 2003 | 8 | 3-4 | |
| <i>Bankivia</i> | <i>fasciata</i> | (Menke, 1830) | 2005 | 11 | 6 | |
| <i>Barbatia</i> | <i>barbata</i> | (Linnaeus, 1758) | 2001 | 3 | 11 | |
| <i>Battilaria</i> | <i>minima</i> | (Gmelin, 1791) | 2006 | 14 | 1-2 | |
| <i>Bistolida</i> | <i>erythraeensis</i> | (Sowerby, 1837) | 2001 | 3 | 20-22 | |
| | <i>stolida</i> | (Linnaeus, 1758) | | | | |
| <i>Blasicrura</i> | <i>alisonae</i> | (Burgess, 1983) | 2002 | 6 | 24-26 | |
| | <i>burgessi</i> | (Kay, 1981) | 2001 | 4 | 12-16 | |
| | <i>dani</i> | Beals, 2002 | 2009 | 19 | 35-36 | |
| | <i>dayritiana</i> | Cate, 1963 | | | | |
| | <i>latior</i> | (Melvill, 1888) | 2001 | 4 | 12-16 | |
| | <i>rashleighana</i> | | (Melvill, 1888) | 2001 | 4 | 12-16 |
| | | | | 2005 | 11 | 11-14 |
| | <i>rashleighana pseudoteres</i> | | (Lorenz & Barbier, 1992) | 2005 | 11 | 7-10 |
| | <i>subteres</i> | | (Weinkauff, 1881) | 2001 | 4 | 12-16 |
| | <i>teres</i> | | (Gmelin, 1791) | 2001 | 4 | 12-16 |
| | | | | 2002 | 6 | 24-26 |
| | | | | 2005 | 11 | 11-14 |
| | <i>teres elatensis</i> | | Heiman & Mienis, 2002 | 2002 | 5 | 11-17 |
| <i>teres natalensis</i> | | Heiman & Mienis, 2002 | 2002 | 5 | 11-17 | |

| | | | | | |
|---------------------|--------------------------------|-----------------------------------|------|----|-------|
| <i>Buccinum</i> | <i>superangulare</i> | Thorson & Óskarsson, 1962 | 2002 | 5 | 7-10 |
| <i>Buliminus</i> | <i>glabratus</i> | (Mousson, 1861) | 2005 | 12 | 36 |
| <i>Bulla</i> | <i>ampulla</i> | Linnaeus, 1758 | 2003 | 8 | 12 |
| Bursidae | Shells of East Sinai | | 2002 | 6 | 8-11 |
| <i>Calaxis</i> | <i>hierosolymarum</i> | (Roth, 1855) | 2005 | 11 | 31 |
| | | | 2008 | 17 | 23 |
| | <i>rothi</i> | (Bourguignat, 1864) | 2005 | 11 | 31 |
| <i>Callista</i> | <i>florida</i> | (Lamarck, 1818) | 2005 | 11 | 5 |
| <i>Campylaea</i> | <i>illyrica</i> | (Stabile, 1864) | 2006 | 13 | 40 |
| <i>Cantharus</i> | <i>tranquebaricus</i> | (Gmelin, 1791) | 2003 | 8 | 11 |
| | | | 2006 | 14 | 4 |
| <i>Casmaria</i> | <i>ponderosa unicolor</i> | (Dautzenberg, 1926) | 2009 | 19 | 23-25 |
| <i>Ceciliooides</i> | <i>acicula</i> | (Müller 1774), | 2007 | 15 | 38 |
| Cerithiidae | Shells of East Sinai | | 2004 | 9 | 8-10 |
| <i>Cerithiopsis</i> | <i>ladae</i> | Prkić & Buzzurro, 2007 | 2007 | 15 | 1-4 |
| <i>Chama</i> | <i>yaroni</i> | Delsaerd, 1986 | 2009 | 19 | 43 |
| Chamidae | Shells of East Sinai | | 2005 | 11 | 3-4 |
| <i>Chicoreus</i> | Shells of East Sinai | | 2003 | 7 | 22-23 |
| | <i>ramosus</i> | (Linnaeus, 1758) | 2007 | 16 | 28 |
| <i>Chromodoris</i> | <i>annulata</i> | Eliot, 1904 | 2009 | 19 | 12-14 |
| <i>Circenita</i> | <i>callipiga</i> | (von Born, 1778) | 2000 | 1 | 6-7 |
| <i>Clanculus</i> | <i>foscus</i> | (Fischer, 1878) | 2005 | 11 | 32-34 |
| | <i>puniceus</i> | (Philippi, 1846) | | | |
| <i>Colubraria</i> | Occurring in the Red Sea | | 2006 | 13 | 11-14 |
| Conidae | Shells of East Sinai | | 2002 | 5 | 19-23 |
| <i>Conomurex</i> | <i>decorus</i> | (Röding, 1798) | 2003 | 8 | 12 |
| | <i>persicus</i> | (Swainson, 1821) | 2007 | 15 | 17-23 |
| | | | 2008 | 17 | 40 |
| <i>Conus</i> | <i>arenatus aequipunctatus</i> | Dautzenberg, 1937 | 2008 | 17 | 40 |
| | <i>ventricosus</i> | (Gmelin, 1791) | 2004 | 9 | 24 |
| Coralliophilidae | Living in the Red Sea | | 2003 | 8 | 9-10 |
| | Shells of East Sinai | | 2003 | 8 | 29-30 |
| Costellariidae | Shells of East Sinai | | 2004 | 9 | 17-19 |
| <i>Crepidula</i> | <i>depressa</i> | Say, 1822 | 2002 | 6 | 6-7 |
| <i>Cribrarula</i> | <i>cribraria esontropia</i> | (Duclos, 1833) | 2007 | 16 | 10-16 |
| <i>Ctenocardia</i> | <i>fornicate</i> | (Sowerby II, 1840) | 2009 | 19 | 8 |
| <i>Cucullaea</i> | <i>labiata</i> | (Lightfoot, 1786) | 2003 | 7 | 5 |
| <i>Cymatium</i> | <i>aquatile</i> | (Reeve, 1844) | 2009 | 19 | 43 |

| | | | | | | |
|-----------------------|--|-----------------------------------|-------------------------|-------|--------|-------|
| <i>Cypraea</i> | <i>pantherina</i> | Lightfoot, 1786 | 2000 | 2 | 17-23 | |
| | | | 2003 | 8 | 15 | |
| | <i>pantherina rasanraniensis</i> | Heiman & Mienis, 2001 | 2001 | 4 | 7-11 | |
| | <i>tigris</i> | Linnaeus, 1758 | 2001 | 4 | 4-5 | |
| | | | 2002 | 6 | 19-23 | |
| | | 2003 | 8 | 13-15 | | |
| | <i>tricornis</i> | Jousseume, 1874 | 2008 | 18 | 9-15 | |
| Cypraeidae | Shells of Eat Sinai | | 2003 | 8 | 19-21 | |
| <i>Cypraeovula</i> | The taxonomic identity of 25 taxa of the genus | | 2007 | 16 | 21-256 | |
| <i>Cypraeovula</i> | <i>algoensis</i> | (Gray, 1825) | 2004 | 9 | 20 | |
| | <i>mikeharti</i> | Lorenz, 1985 | | | | |
| <i>Dentalium</i> | <i>octangulatum</i> | Donovan, 1803 | 2004 | 9 | 3-5 | |
| | <i>cookei</i> | Sharp & Pilsbry, 1897 | 2002 | 5 | 1-5 | |
| | <i>reevei</i> | Fischer, 1871 | 2003 | 7 | 9-17 | |
| | | | 2004 | 9 | 3-5 | |
| <i>Diodora</i> | <i>demartiniorum</i> | Buzzurro & Russo, 2004 | 2004 | 10 | 1-9 | |
| | | | 2006 | 13 | 31-34 | |
| <i>Discus</i> | <i>rotundatus</i> | (Müller, 1774) | 2003 | 7 | 27 | |
| <i>Dreissena</i> | <i>siouffi</i> | (Locard, 1893) | 2007 | 16 | 1-4 | |
| <i>Elliptotellina</i> | <i>pulchella</i> | H. Adams, 1870 | 2003 | 7 | 18-19 | |
| <i>Eobania</i> | <i>vermiculata</i> | (Muller, 1774) | 2002 | 6 | 27 | |
| <i>Eremina</i> | <i>desertorum</i> | (Forsskål, 1775) | 2004 | 9 | 29-30 | |
| | <i>irregularis</i> | (de Férrussac, 1821) | 2000 | 1 | 29-30 | |
| | | | 2004 | 9 | 29-30 | |
| | | <i>irregularis tunetana</i> | Pallary, 1926 | 2000 | 2 | 34 |
| | | <i>kobelti fourtaui</i> | (Pallary, 1924) | 2004 | 9 | 29-30 |
| <i>Ergalatax</i> | <i>martensi</i> | (Schepman, 1892) | 2008 | 18 | 8 | |
| | <i>obscura</i> | Houart, 1996 | 2005 | 12 | 2 | |
| <i>Erosaria</i> | <i>caputdraconis poppei</i> | Martin, 1989 | 2007 | 15 | 10 | |
| | | | 2007 | 16 | 5 | |
| | | | 2008 | 17 | 37 | |
| | | <i>caputserpentis</i> | (Linnaeus, 1758) | 2009 | 19 | 37 |
| | | <i>c. caputophidii</i> | Schilder, 1927 | 2007 | 15 | 28 |
| | | <i>erosa pulchella</i> | (Coen, 1949) | 2000 | 1 | 21-25 |
| | | <i>erosa lactescens</i> | Dautzenberg-Bouge, 1933 | 2009 | 19 | 37 |
| | | <i>erosa</i> | (Linnaeus, 1758) | 2001 | 3 | 27 |
| | | <i>helvola helvola</i> | (Linnaeus, 1758) | 2007 | 15 | 14 |
| | 2009 | | | 19 | 37 | |
| | | <i>helvola argella</i> | (Melvill, 1888) | 2007 | 15 | 14 |
| | <i>lamarckii</i> | (Gray, 1825) | 2004 | 10 | 39-43 | |
| 2008 | | | 18 | 34 | | |
| | <i>miliaris</i> | (Gmelin, 1791) | 2006 | 14 | 27-30 | |

| | | | | | |
|-------------------------|-------------------------|-----------------------------------|--------------|-----------|----------------|
| <i>Erosaria</i> | <i>moneta</i> | (Linnaeus, 1758) | 2003 | 8 | 15 |
| | <i>nebrites</i> | (Melvill, 1888) | 2001 2003 | 3 8 | 31-32 17-18 |
| | <i>nucleus sturanyi</i> | Schilder & Schilder, 1938 | 2001 | 3 | 28-29 |
| | <i>spurca</i> | (Linnaeus, 1758) | 2003 | 8 | 12 |
| | | | 2004 | 9 | 20, 24 |
| | | | 2005 | 11 | 15-16 |
| | <i>turdus</i> | (Lamarck, 1810) | 2008 | 17 | 24 |
| | | | 2005 | 12 | 1 |
| | | | 2008 | 17 | 24 |
| <i>turdus pardalina</i> | (Dunker, 1852) | 2000 | 2 | 31-33 | |
| | | 2008 | 17 | 25, 37-38 | |
| <i>Erronea</i> | <i>caurica</i> | (Linnaeus, 1758) | 2000 | 2 | 13-15 |
| | | | 2004 | 10 | 44-54 |
| | <i>ovum</i> | (Gmelin, 1791) | 2006 | 14 | 34-35 |
| | <i>walkeri</i> | (Sowerby, 1832) | 2006 | 14 | 18-21 |
| <i>Eupolita</i> | <i>protensa</i> | (Roth, 1855) | 2000 | 1 | 33 |
| Fascioliariidae | Shells of Eat Sinai | | 2006 | 13 | 15-16 |
| <i>Ferrissia</i> | <i>clessiniana</i> | (Jickeli, 1882) | 2008 | 17 | 8 |
| <i>Fissurella</i> | <i>barbadensis</i> | (Gmelin, 1791) | 2003 | 8 | 1 |
| | <i>nubeculla</i> | (Linnaeus, 1758) | 2002 | 6 | 1 |
| | <i>rosea</i> | (Gmelin, 1791) | 2003 | 8 | 1 |
| <i>Fragum</i> | <i>nivale</i> | (Reeve, 1845) | 2009 | 19 | 8 |
| <i>Frigidocardium</i> | <i>torresi</i> | (E.A. Smith, 1885) | 2009 | 19 | 8 |
| <i>Fulvia</i> | <i>australis</i> | (Sowerby, 1834) | 2009 | 19 | 8 |
| | <i>fragilis</i> | (Forskål in Niebuhr, 1775) | 2009 | 19 | 8 |
| <i>Fusinus</i> | <i>cretellai</i> | Buzurro & Russo, 2008 | 2008 | 17 | 7 |
| | <i>dalpiazzi</i> | (Coen, 1918) | 2001 | 4 | 1-3 |
| | <i>dovpeledi</i> | Snyder, 2002 | 2002 | 6 | 1 |
| | <i>rolani</i> | Buzurro & Ovalis, 2005 | 2005 | 11 | 1-3 |
| | <i>sanctaeluciaie</i> | (Von Salis, 1793) | 2001 | 4 | 1-3 |
| <i>Fusus</i> | <i>crassus</i> | Palary, 1901 | 2008 | 17 | 7 |
| <i>Gafrarium</i> | <i>pectinatum</i> | (Linnaeus, 1758) | 2008 | 18 | 42 |
| <i>Galeomma</i> | <i>rueppelli</i> | F. Haas, 1935 | 2001 | 4 | 6 |
| <i>Gastrochaena</i> | <i>lnaequistriata</i> | Jousseume in Lamy, 1923 | 2006 | 13 | 10 |
| Glycymerididae | Shells of Eat Sinai | | 2007 | 16 | 8-9 |
| <i>Glycymeris</i> | <i>insubrica</i> | (Brocchi, 1814) | 2004 | 9 | 33 |
| | | | 2006 | 13 | 5-9 |
| <i>Gryphus</i> | <i>vitreus</i> | (von Born, 1778) | 2003 | 8 | 36-37 |
| <i>Haitia</i> | <i>acuta</i> | (Draparnaud, 1805), | 2005 | 11 | 24 |
| Haliotidae | Shells of Eat Sinai | | 2003 | 7 | 24-25 |
| <i>Helix</i> | <i>aspersa</i> | Müller, 1774 | 2003 | 8 | 31-32 |
| | | | 2008 | 17 | 21 |
| | <i>engaddensis</i> | Bourguignat, 1852 | 2000 | 1 | 31-32 |
| | <i>pomacella</i> | Mousson, 1854 | 2009 | 19 | 40-41 |

| | | | | | |
|----------------------|-------------------------------|----------------------------------|------|-----|-------|
| <i>Hexaplex</i> | <i>pecchiolianus</i> | (D'Ancona, 1871) | 2002 | 5 | 4 |
| <i>Homalocantha</i> | <i>anatomica elatensis</i> | Heiman & Mienis, 2009 | 2009 | 19 | 17-22 |
| <i>Iacra</i> | | H. & A. Adams, 1856 | 2001 | 4 | 19-23 |
| <i>Imbricaria</i> | <i>vanikorensis</i> | (Quoy & Gaimard, 1833) | 2006 | 13 | 30 |
| <i>Imparietula</i> | <i>sebastiana</i> | Forcart, 1940 | 2004 | 9 | 25-26 |
| <i>Ipsa</i> | <i>childreni leforti</i> | Heiman, 2009 | 2009 | 19 | 32-34 |
| <i>Isognomostoma</i> | <i>isognomostemo</i> | (Schroter, 1784) | 2006 | 13 | 40 |
| Janthinidae | | | 2002 | 6 | 5 |
| <i>Laevicaulis</i> | <i>alte</i> | (De Férussac, 1822) | 2008 | 17 | 17-18 |
| <i>Lamellolucina</i> | | Taylor & Glover, 2002 | 2002 | 6 | 2-3 |
| <i>Latirus</i> | <i>polygonus</i> | (Gmelin, 1791) | 2000 | 1 | 8 |
| | <i>turritus</i> | (Gmelin, 1791) | 2008 | 18 | 42 |
| <i>Lauria</i> | <i>cylindracea</i> | (Da Costa, 1778) | 2008 | 17 | 15-16 |
| <i>Leporicypraea</i> | <i>mappa</i> | (Linnaeus, 1758) | 2001 | 4 | 17-18 |
| <i>Levantina</i> | <i>spirioplana</i> | (Olivier, 1801) | 2004 | 9 | 27-28 |
| | | | 2005 | 11 | 21-23 |
| <i>Lima</i> | <i>vulgaris</i> | (Link, 1807) | 2001 | 3 | 12 |
| <i>Lucinoma</i> | <i>borealis</i> | (Linnaeus, 1767) | 2003 | 7 | 6 |
| <i>Lunulicardia</i> | <i>auricula</i> | (Niebuhr, 1775) | 2008 | 18 | 42 |
| | <i>orlini</i> | Mienis, 2009 | 2009 | 19 | 1-7 |
| | sp. | | | | |
| <i>Luria</i> | <i>isabella</i> | (Linnaeus, 1758) | 2009 | 19 | 37 |
| | <i>lurida</i> | (Linnaeus, 1758) | 2004 | 9 | 20 |
| | | | 2006 | 14 | 15-17 |
| | <i>lurida minima</i> | (Dunker, 1853) | 2007 | 16 | 17-20 |
| <i>lur. oceanica</i> | Schilder, 1930 | 2004 | 9 | 24 | |
| <i>Lyncina</i> | <i>argus</i> | (Linnaeus, 1758) | 2000 | 1 | 26-28 |
| | <i>carneola</i> | (Linnaeus, 1758) | 2003 | 8 | 14 |
| | <i>carneola propinqua</i> | | 2009 | 19 | 37 |
| | <i>carneola crassa</i> | (Gmelin, 1791) | 2000 | 1 | 16-20 |
| | <i>titan</i> | Schilder & Schilder, 1962 | | | |
| <i>lynx</i> | (Linnaeus, 1758) | 2001 | 3 | 5-8 | |
| <i>Lyrocardium</i> | <i>anaxium dekeri</i> | Mienis, 2009 | 2009 | 19 | 1-7 |
| <i>Lyrodus</i> | <i>pedicellatus</i> | (Quatrefagus, 1849) | 2003 | 8 | 3-4 |
| <i>Maetra</i> | <i>lilacea</i> | Lamarck, 1818 | 2000 | 2 | 16 |
| | <i>stultorum</i> | (Linnaeus, 1758) | 2007 | 16 | 36 |
| <i>Mauritia</i> | <i>arabica</i> | (Linnaeus, 1758) | 2000 | 2 | 25-27 |
| | <i>arabica grayana</i> | Schilder, 1930 | 2007 | 15 | 10 |
| | | | 2008 | 17 | 32 |
| | <i>histrio</i> | (Gmelin, 1791) | 2000 | 2 | 25-27 |
| | | | 2003 | 8 | 15 |
| | <i>maculifera hawaiiensis</i> | Heiman, 2005 | 2005 | 11 | 7-11 |
| | | | 2008 | 18 | 33 |
| 2009 | | | 19 | 37 | |
| | | | 2009 | 19 | 39 |

| | | | | | |
|-----------------------|-------------------------------------|--------------------------------------|------|----|-------|
| <i>Megaxinus</i> | <i>unguiculinus</i> | | 2006 | 14 | 5-6 |
| <i>Meiocardia</i> | <i>vulgaris</i> | (Reeve, 1845) | 2000 | 2 | 5-6 |
| <i>Melania</i> | Type specimens in the HJ collection | | 2000 | 2 | 37 |
| Mitridae | Shells of Eat Sinai | | 2004 | 9 | 14-16 |
| <i>Murex</i> | <i>forskoehlii</i> | Röding, 1798 | 2001 | 3 | 10 |
| | | | 2008 | 17 | 41-42 |
| | | | 2009 | 19 | 42 |
| Muricidae | From the Gulf of Aqaba | | 2003 | 8 | 7-8 |
| | Shells of Eat Sinai | | 2003 | 8 | 22-24 |
| | Of Izmir Bay | | 2001 | 3 | 1-4 |
| <i>Nanostrea</i> | <i>exigua</i> | Harry, 1985 | 2005 | 3 | 4 |
| <i>Naria</i> | <i>irrorata</i> | (Gray, 1828) | 2009 | 19 | 37 |
| Naticidae | Shells of Eat Sinai | | 2004 | 9 | 11-13 |
| <i>Neithea</i> | <i>dutruegi</i> | (Coquand, 1862) | 2003 | 8 | 35 |
| <i>Nassaria</i> | <i>acuminata</i> | (Reeve, 1844) | 2001 | 3 | 14 |
| <i>Neithea</i> | <i>dutruegi</i> | (Coquand, 1862) | 2003 | 8 | 35 |
| <i>Neohelix</i> | <i>albolabris</i> | Say | 2003 | 8 | 31-32 |
| Neritidae | Shells of Eat Sinai | | 2003 | 7 | 20-21 |
| <i>Nerita</i> | <i>histrio</i> | (Linnaeus, 1758) | 2004 | 9 | 1-2 |
| <i>Notadusta</i> | <i>punctata</i> | (Linnaeus, 1771) | 2005 | 11 | 17-19 |
| <i>Notocochlis</i> | <i>gualteriana</i> | (Recluz, 1844) | 2000 | 2 | 24 |
| <i>Ociinebrina</i> | <i>paddeui</i> | Bonomolo & Buzzurro, 2006 | 2006 | 13 | 1-4 |
| <i>Oscilla</i> | <i>jocosa</i> | Melville, 1904 | 2003 | 7 | 1 |
| <i>Ostrea</i> | <i>edulis</i> | | | | |
| <i>Ovatipsa</i> | <i>chinensis</i> | (Gmelin, 1791) | 2007 | 15 | 32-34 |
| <i>Oxychilus</i> | <i>camelinus</i> | (Bourguignat, 1852) | 2002 | 6 | 28 |
| <i>Oxyloma</i> | <i>retusa</i> | (Lea, 1834) | 2006 | 13 | 36-37 |
| <i>Paphia</i> | <i>sinuosa</i> | (Lamarck, 1819) | 2001 | 3 | 13 |
| <i>Palmadusta</i> | <i>clandestina</i> | (Linnaeus, 1767) | 2006 | 14 | 31-33 |
| | <i>fimbriata</i> | (Gmelin, 1791) | 2006 | 14 | 22-26 |
| | <i>gracilis</i> | (Gaskoin, 1849) | 2004 | 9 | 24 |
| | <i>lentiginosa</i> | (Gray, 1825) | 2004 | 9 | 21-23 |
| | | | 2003 | 8 | 12 |
| | | | 2009 | 19 | 37 |
| <i>Parvicardium</i> | <i>sueziensis</i> | (Issel, 1869) | 2009 | 19 | 8 |
| Pectinidae | Shells of Eat Sinai | | 2004 | 9 | 6-7 |
| Personidae | Shells of Eat Sinai | | 2002 | 6 | 8-11 |
| <i>Phalium</i> | <i>bisulcatum</i> | (Schubert & Wagner, 1829) | 2003 | 7 | 7-8 |
| <i>Physella</i> | <i>acuta</i> | (Draparnaud, 1805) | 2003 | 7 | 26 |
| | <i>heterostropha</i> | (Say, 1817) | 2000 | 1 | 34-35 |
| <i>Pitar</i> | <i>affinis</i> | (Gmelin, 1791) | 2000 | 2 | 7-8 |
| | <i>pudicissima</i> | (Smith, 1894) | | | |
| <i>Pomatias</i> | <i>elegans</i> | (Müller 1774) | 2005 | 11 | 26-27 |
| <i>Prosimnia</i> | <i>korkosi</i> | Fehse, 2005 | 2006 | 13 | 35 |
| <i>Pseudohondrula</i> | <i>maden</i> | Schütt, 2005 | 2005 | 12 | 33-35 |

| | | | | | |
|-------------------------|--|---------------------------|------|-------|-------|
| <i>Pteromeris</i> | <i>corbis</i> | (Philippi, 1836) | 2000 | 2 | 1-3 |
| <i>Pteromis</i> | <i>jozinae</i> | van Aartsen, 1985 | | | |
| <i>Pterynotus</i> | <i>elongatus</i> | (Lightfoot, 1786) | 2000 | 1 | 4-5 |
| <i>Purpuradusta</i> | <i>gracilis</i> | (Gaskoin, 1848) | 2001 | 3 | 23-24 |
| | <i>grac. japonica</i> | Schilder, 1931 | 2008 | 17 | 36 |
| | <i>grac. notata</i> | (Gill, 1858) | 2008 | 17 | 40 |
| | <i>microdon</i> | (Gray, 1828) | 2001 | 3 | 25-26 |
| <i>Pustularia</i> | <i>bistrinotata</i> | Schilder & Schilder, 1937 | 2008 | 17 | 33-35 |
| | <i>chiapponii</i> | Lorenz, 1999 | | | |
| | <i>childreni</i> | (Gray, 1825) | 2008 | 18 | 21 |
| | <i>cicercula</i> | (Linnaeus, 1758) | 2008 | 17 | 26-28 |
| | | | | 18 | 21 |
| | | | | 18 | 22-32 |
| | <i>cicercula avrillae</i> | Heiman (2009) | 2009 | 19 | 26-31 |
| | about 'columellar callus bridge' | | 2008 | 18 | 17-18 |
| | fossula in shells of the genus | | 2008 | 17 | 39 |
| | <i>margarita</i> | (Dyllwin, 1817) | 2008 | 17 | 26-28 |
| | | | 2008 | 18 | 22-32 |
| <i>mariae</i> | Schilder, 1927 | 2008 | 18 | 21 | |
| <i>mauiensis</i> | (Burgess, 1967) | 2008 | 17 | 29-31 | |
| <i>Radix</i> | <i>auricularia</i> | (Linnaeus, 1758) | 2000 | 1 | 36-37 |
| Ranellidae | Shells of Eat Sinai | | 2002 | 6 | 8-11 |
| <i>Rasta</i> | <i>lamyi</i> | (Abrard, 1942) | 2000 | 2 | 28 |
| <i>Retusa</i> | <i>desgenettii</i> | (Audoin, 1826) | 2004 | 10 | 12 |
| <i>Rossia</i> | <i>macrosoma</i> | (Delle Chiaje, 1830). | 2005 | 11 | 20 |
| <i>Rumina</i> | <i>paivae</i> | Lowe, 1861 | 2002 | 5 | 33-34 |
| <i>Scapharca</i> | <i>natalensis</i> | (Krauss, 1848) | 2000 | 2 | 12 |
| <i>Scaphopoda</i> | Shells of Eat Sinai 1. An introduction | | 2001 | 4 | 24-26 |
| <i>Schilderia</i> | <i>achatidea</i> | (Sowerby, 1837) | 2006 | 14 | 11-14 |
| | | | 2007 | 16 | 27 |
| <i>Scutarcopagia</i> | <i>scobinata</i> | | 2006 | 14 | 7 |
| <i>Semicassis</i> | <i>faurotis</i> | (Jousseume, 1888) | 2008 | 18 | 42 |
| <i>Sinezona</i> | <i>singeri</i> | Geiger, 2006 | 2006 | 13 | 35 |
| <i>Spondylus</i> | <i>candidus</i> | Lamarck, 1819 | 2008 | 17 | 1-3 |
| | <i>nicobaricus</i> | Schreibers, 1793 | 2008 | 17 | 1-3 |
| | <i>pickeringae</i> | Lamprell, 1998 | 2008 | 17 | 1-3 |
| | <i>smytheae</i> | Lamprell, 1998 | 2008 | 17 | 1-3 |
| | <i>spinus</i> | Schreibers, 1793 | 2008 | 17 | 1-3 |
| Blister pearl formation | | 2001 | 3 | 9 | |
| <i>Sprattia</i> | <i>sowerbyana aksoylari</i> | Yildirim, 1997 | 2006 | 14 | 37 |
| Stomatellinae | Shells of Eat Sinai | | 2007 | 16 | 6-7 |
| <i>Stomatolina</i> | <i>danblumi</i> | Singer & Mienis, 1999 | 2007 | 16 | 35 |

| | | | | | |
|---------------------|---------------------|---------------------------------|------|----|-------|
| <i>Stramonita</i> | <i>haemastoma</i> | (Linnaeus, 1767) | 2003 | 8 | 12 |
| Strombidae | Shells of Eat Sinai | | 2002 | 6 | 12-14 |
| <i>Strombus</i> | <i>persicus</i> | | 2008 | 17 | 40 |
| <i>Tectus</i> | <i>dentatus</i> | (Forsskål, 1775) | 2003 | 8 | 18 |
| Tellinidae | Shells of Eat Sinai | | 2006 | 14 | 8-10 |
| <i>Terebra</i> | <i>amoena</i> | Deshayes, 1859 | 2004 | 10 | 11 |
| Terebridae | Shells of Eat Sinai | | 2002 | 6 | 15-18 |
| <i>Teredo</i> | <i>navalis</i> | (Linnaeus, 1758) | 2003 | 8 | 3-4 |
| <i>Thais</i> | <i>lacera</i> | (von Born, 1778) | 2003 | 8 | 12 |
| | | | 2008 | 17 | 40 |
| | | | 2009 | 19 | 42 |
| | <i>sacellum</i> | (Gmelin, 1791) | 2005 | 12 | 2 |
| <i>Thiara</i> | <i>scabra</i> | (Müller, 1774) | 2008 | 18 | 35-36 |
| <i>Tridacna</i> | <i>maxima</i> | Röding, 1798 | 2001 | 3 | 9 |
| | | | 2008 | 17 | 4 |
| | <i>squamosa</i> | Lamarck, 1819 | 2008 | 17 | 4 |
| Trochidae | Shells of Eat Sinai | | 2003 | 8 | 25-28 |
| <i>Trochus</i> | <i>erithreus</i> | Brocchi, 1821 | 2003 | 7 | 1 |
| | <i>ferreirai</i> | Bozzetti, 1996 | 2003 | 7 | 2 |
| <i>Trona</i> | <i>stercoraria</i> | (Linnaeus, 1758) | 2008 | 18 | 16 |
| <i>Vasticardium</i> | <i>marerubrum</i> | (Voskuil & Onverwacht, 1991) | 2009 | 19 | 8 |
| | <i>pectiniforme</i> | (Born, 1780) | 2009 | 19 | 8 |
| <i>Verella</i> | <i>spirans</i> | Forsskal | 2002 | 6 | 5 |
| Veneridae part 1 | Shells of Eat Sinai | | 2008 | 18 | 1-7 |
| <i>Xerocrassa</i> | <i>cretica</i> | (Férussac 1821) | 2007 | 15 | 39 |
| <i>Xerotricha</i> | <i>conspurcata</i> | (Draparnaud, 1801) | 2002 | 6 | 29 |
| <i>Xylophaga</i> | unknown | First report from Eat Sinai | 2003 | 8 | 2 |
| <i>Xylophaga</i> | unknown | First report from Mediterranean | 2003 | 8 | 5-6 |
| <i>Zonites</i> | <i>algirus</i> | (Linnaeus, 1758) | 2006 | 13 | 40 |
| <i>Zonitoides</i> | <i>arboreus</i> | Say | 2008 | 17 | 22 |